ITEM # CAUF3137B6, CAUF — UNCASED UPFLOW/DOWNFLOW

The Daikin brand All-aluminum CAUF Uncased Upflow/ Downflow Indoor Coils are made for split system air conditioners and heat pumps. This coil features aluminum tubing and corrugated aluminum fins and rust-resistant, high-temperature, thermoplastic drain pan.

- Check flowrater for cooling and heat pump applications
- All-aluminum evaporator coil
- Rifled aluminum tubing and corrugated aluminum fin coil
- 21" depth for easier attic access
- Upflow/downflow configuration
- Rust-resistant, high-temperature,





Specifications | Features | Notes

Specifications —		
	Nominal Capacity	2 1/2 TR
	Width	20 in
	Depth	20 1/8 in
	Height	20 in
	Suction Connection Height	17 in
	Liquid Connection	3/8 in
	Suction Connection	3/4 in
	Piston Size	.068 in

Features

Standard Features

- All-Aluminum evaporator coil
- Optimized for use with R-410A refrigerant
- Some models suitable for use with R-410A or R-22 refrigerant
- CAPT models feature factory-installed thermal expansion valves for cooling and heat pump applications
- Check flowrator for cooling and heat pump applications
- Vertical and horizontal models available
- 21" depth for easier attic access
- Split seam front for easy access
- Foil-faced insulation covers the internal casing to reduce cabinet condensation
- Galvanized, leather grain-embossed finish
- Rust resistant, thermoplastic drain pans featuring a low water-retention design
- DecaBDE-free thermoplastic drain panwith secondary drain connections
- UV-resistant drain pan
- AHRI certified; ETL listed

Notes

Do not use these coils on oil furnaces or any applications where the temperature on the drain pan may exceed 300°F. If these coils are applied with an oil furnace or another application where high temperatures threaten or jeopardize the durability of the drain pan, you must replace the factory-installed drain pan with a high-temperature drain pan. High-temperature drain pan kits are available as field-installed accessories For a properly matched system and piston sizing information, refer to the piston kit chart of the corresponding outdoor unit